



Fifth Disease Fact Sheet

(Erythema infectiosum, parvovirus B19 infections)

What is fifth disease?

Fifth disease is a mild illness caused by the human parvovirus B19. It is usually a mild rash illness of children but recently has been shown to cause serious health problems during pregnancy.

Who gets fifth disease?

Anyone can get fifth disease, but it occurs most often in elementary school-age children.

How is the virus spread?

The virus is spread by contact with airborne droplets produced by infected people coughing and sneezing.

What are the symptoms and when do they appear?

One to two weeks after infection, some children will have a low-grade fever and will feel tired. A red rash generally appears on the cheeks, giving a “slapped face” appearance. The rash may then spread to the rest of the body and tends to come and go. Sometimes the rash looks “lacy” and may itch. Sunlight can make the rash worse. Some children may have only vague signs of illness or no symptoms at all. Adults with fifth disease may not have a rash but arthritis may develop.

OCCHD.ORG |  **Facebook** - Search OKC-County Health or @OCCHD

OCCHD App - Search OCCHD on the [Apple Store](#)  or [Google Play](#) 



Fifth Disease Fact Sheet

(Erythema infectiosum, parvovirus B19 infections)

How long is an infected person able to spread the disease?

People with fifth disease can spread the illness during the week before the rash appears. By the time the rash is seen, the virus can no longer be spread to others.

How is fifth disease diagnosed?

The disease is usually diagnosed by the presence of the rash. A blood test can also be used.

What is the treatment for fifth disease?

Treatment would not be needed since this illness is usually very mild.

Can a person get fifth disease again?

People who have been infected before usually do not get fifth disease again.

Should infected people be excluded from school or work?

No. By the time the rash appears, the infected person can no longer spread the illness.

OCCHD.ORG |  **Facebook** - Search OKC-County Health or @OCCHD

OCCHD App - Search OCCHD on the Apple Store



or **Google Play**





Fifth Disease Fact Sheet (Erythema infectiosum, parvovirus B19 infections)

What are the health problems associated with fifth disease?

Because most women have already been infected, most pregnant women cannot be affected. Of the few pregnant women who do get infected, most will not have any problems. However, in very rare instances, the infection may increase the risk of miscarriage in the first half of pregnancy.

In people with chronic red blood cell disorders, such as sickle-cell disease, this infection may result in severe anemia.

What can be done to stop the spread of fifth disease?

Anyone with cold- or flu-like symptoms should cover their mouths and noses with disposable paper tissues (Kleenex) when sneezing or coughing. During outbreaks in schools, pregnant employees and people with chronic red blood cell disorders should ask their doctor for advice before attending.

*For further information, contact the
Oklahoma City-County Health Department
(405) 425-4437*

revised 04/2013

OCCHD.ORG |  **Facebook** - Search OKC-County Health or @OCCHD

OCCHD App - Search OCCHD on the [Apple Store](#)  or [Google Play](#) 